

# W I S C O N S I N

## 2010 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	47.3	40.9 - 53.9	146	53.9	48.8 - 59.0	218	51.7	41.7 - 61.5	42	51.2	47.4 - 55.0	406
b. Nutrition	48.0	42.2 - 53.9	147	50.8	45.6 - 55.9	217	56.0	45.4 - 66.1	42	50.2	46.6 - 53.9	406
c. Tobacco-use prevention	51.7	45.8 - 57.6	145	54.7	49.6 - 59.6	217	52.4	42.4 - 62.2	42	53.3	49.7 - 56.9	404
d. Asthma	19.5	15.0 - 24.8	146	27.1	22.9 - 31.8	215	23.4	15.2 - 34.2	42	23.8	20.9 - 27.1	403
e. Injury and violence prevention	35.4	30.0 - 41.2	146	43.3	38.0 - 48.7	216	42.2	31.7 - 53.5	42	40.2	36.5 - 43.9	404

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related goals and objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	26.9	21.5 - 33.1	143	33.5	29.1 - 38.3	216	40.5	29.9 - 52.2	40	31.6	28.3 - 35.2	399
b. Physical education and physical activity	26.7	21.3 - 33.0	142	31.2	27.0 - 35.8	217	41.7	30.6 - 53.8	40	30.5	27.2 - 34.0	399
c. Nutrition services and foods and beverages available at school	28.6	23.0 - 34.9	142	30.0	25.6 - 34.7	216	53.2	42.0 - 64.1	40	31.5	28.1 - 35.1	398
d. Health services	24.5	19.4 - 30.4	142	25.2	21.0 - 30.1	216	33.9	25.2 - 43.8	39	25.7	22.5 - 29.2	397
e. Mental health and social services	20.5	15.8 - 26.0	141	23.8	19.4 - 28.8	214	29.3	20.4 - 40.1	39	23.0	19.9 - 26.5	394
f. Healthy and safe school environment	39.9	33.8 - 46.3	142	47.3	42.7 - 51.9	216	43.6	33.5 - 54.3	40	44.2	40.6 - 47.7	398
g. Family and community involvement	36.9	31.1 - 43.0	142	48.2	43.4 - 53.0	217	40.4	28.1 - 54.0	39	43.2	39.6 - 46.8	398
h. Faculty and staff health promotion	29.9	24.5 - 35.9	141	30.1	25.8 - 34.8	216	41.4	29.5 - 54.3	40	31.0	27.7 - 34.6	397

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that are required to report each of the following types of information regarding implementation of the local wellness policy.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Number of minutes of physical education required in each grade	78.6	73.5 - 83.0	145	78.8	74.3 - 82.7	217	77.1	66.3 - 85.2	41	78.6	75.4 - 81.4	403
b. Rates of student participation in school meal programs	82.6	77.8 - 86.6	145	84.4	80.4 - 87.8	216	84.6	73.0 - 91.7	41	83.7	80.9 - 86.3	402
c. Revenue from sale of foods and beverages from school-sponsored fundraisers, vending machines, school stores, or a la carte lines in the school cafeteria	63.5	57.5 - 69.1	145	57.6	52.1 - 63.0	217	54.5	41.0 - 67.4	41	59.6	55.7 - 63.4	403
d. Number of minutes of physical activity outside of physical education (e.g., classroom physical activity breaks, free time physical activity, or recess)	37.0	31.4 - 43.0	145	47.1	41.9 - 52.4	217	51.6	41.3 - 61.8	41	43.7	40.0 - 47.4	403

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

---

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
88.8	84.3 - 92.1	145	81.4	76.9 - 85.1	218	89.9	83.7 - 94.0	41	85.0	82.1 - 87.4	404

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
69.7	63.7 - 75.0	144	59.2	53.9 - 64.3	216	57.7	46.3 - 68.3	41	63.1	59.4 - 66.6	401

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	93.8	89.5 - 96.4	100	97.8	94.8 - 99.1	128	89.0	77.1 - 95.1	23	95.4	93.1 - 96.9	251
b. Health education teachers	95.3	90.9 - 97.6	100	91.2	87.2 - 94.1	126	84.0	69.9 - 92.2	23	92.4	89.7 - 94.4	249
c. Physical education teachers	93.2	88.2 - 96.1	100	95.6	92.3 - 97.5	128	88.5	75.1 - 95.1	23	94.0	91.4 - 95.8	251
d. Mental health or social services staff	55.0	47.8 - 62.1	98	59.5	52.2 - 66.4	120	30.7	19.7 - 44.4	23	55.1	50.3 - 59.8	241
e. Nutrition or food service staff	80.1	73.1 - 85.7	97	76.7	71.0 - 81.5	123	80.6	67.6 - 89.2	23	78.5	74.4 - 82.0	243
f. Health services staff (e.g., school nurse)	77.4	71.1 - 82.7	100	81.3	75.2 - 86.2	127	62.3	50.7 - 72.6	23	78.1	74.0 - 81.7	250
g. Maintenance and transportation staff	22.5	16.7 - 29.6	98	20.6	15.7 - 26.6	114	20.9	11.0 - 36.0	23	21.5	17.8 - 25.7	235
h. Technology staff	22.5	17.5 - 28.6	98	30.7	24.6 - 37.6	115	16.9	8.1 - 31.9	23	25.9	22.0 - 30.1	236
i. Library/media center staff	17.7	13.3 - 23.3	98	27.4	21.7 - 34.0	114	4.0	0.9 - 15.1	23	21.0	17.6 - 25.0	235
j. Student body	57.8	50.5 - 64.8	98	53.6	46.9 - 60.2	119	39.7	24.0 - 57.9	23	54.2	49.5 - 58.9	240
k. Parents or families of students	76.3	69.6 - 81.9	99	68.9	62.4 - 74.8	124	71.6	56.1 - 83.2	23	72.3	67.9 - 76.3	246
l. Community members	65.9	59.1 - 72.1	98	59.6	53.1 - 65.9	119	67.0	51.7 - 79.5	23	63.0	58.5 - 67.2	240

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Local health departments, agencies, or organizations	41.7	34.3 - 49.5	97	51.0	44.4 - 57.5	120	44.2	28.9 - 60.8	23	46.4	41.6 - 51.3	240
n. Faith-based organizations	18.3	13.5 - 24.2	98	16.8	12.0 - 22.9	115	4.0	0.9 - 15.1	23	16.3	13.1 - 20.1	236
o. Businesses	19.5	14.4 - 25.8	97	17.8	12.8 - 24.1	113	16.9	7.8 - 32.9	23	18.4	14.9 - 22.6	233
p. Local government agencies	15.8	10.8 - 22.4	96	16.8	11.9 - 23.2	114	25.4	15.1 - 39.3	23	17.1	13.6 - 21.3	233

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	25.2	20.4 - 30.8	143	22.3	18.4 - 26.7	218	12.7	6.9 - 22.4	40	22.6	19.7 - 25.7	401
b. Youth who participate in drop-out prevention, alternative education, or GED programs	34.9	29.3 - 40.9	143	22.1	17.9 - 27.1	218	25.4	17.3 - 35.8	41	27.3	24.0 - 30.8	402

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
42.8	37.8 - 47.9	142	18.7	15.1 - 22.9	213	19.7	12.8 - 29.3	40	28.0	25.2 - 31.0	395

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to LGBTQ youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify “safe spaces” (e.g., a counselor’s office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	75.9	70.5 - 80.5	144	56.2	51.4 - 60.9	218	58.2	45.4 - 70.1	41	63.9	60.4 - 67.2	403
b. Prohibit harassment based on a student’s perceived or actual sexual orientation or gender identity	95.6	93.1 - 97.2	143	86.5	82.9 - 89.4	218	96.3	89.7 - 98.7	41	90.8	88.7 - 92.5	402
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	76.6	71.5 - 81.1	144	65.4	60.0 - 70.4	218	79.7	73.0 - 85.1	40	70.9	67.5 - 74.1	402
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	64.2	58.7 - 69.4	143	43.8	39.0 - 48.7	218	55.7	42.7 - 67.9	41	52.6	49.1 - 56.1	402
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	69.2	63.3 - 74.4	142	47.3	42.4 - 52.3	217	63.6	50.0 - 75.4	41	57.0	53.5 - 60.6	400

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	55.1	48.9 - 61.2	144	58.7	53.6 - 63.6	212	48.2	35.4 - 61.2	41	56.3	52.6 - 60.0	397
b. Procedures to protect HIV-infected students and staff from discrimination	70.4	64.4 - 75.8	144	70.1	65.3 - 74.4	213	60.8	48.3 - 72.1	41	69.4	65.8 - 72.7	398
c. Maintaining confidentiality of HIV-infected students and staff	82.3	76.9 - 86.6	143	78.6	74.0 - 82.5	213	63.1	51.3 - 73.6	41	78.6	75.3 - 81.5	397
d. Worksite safety (i.e., universal precautions for all school staff)	90.8	86.4 - 93.9	143	87.8	84.0 - 90.7	215	82.6	72.5 - 89.5	39	88.5	85.9 - 90.7	397
e. Confidential counseling for HIV-infected students	66.1	59.6 - 72.1	143	54.8	49.5 - 60.0	213	54.1	40.5 - 67.2	40	59.1	55.2 - 62.9	396
f. Communication of the policy to students, school staff, and parents	61.1	54.1 - 67.6	143	56.3	51.5 - 61.0	211	54.3	42.5 - 65.5	39	58.0	54.2 - 61.7	393
g. Adequate training about HIV infection for school staff	75.7	69.6 - 80.9	142	66.9	62.1 - 71.4	213	64.8	51.0 - 76.5	40	70.1	66.5 - 73.4	395
h. Procedures for implementing the policy	64.8	58.5 - 70.7	142	65.4	60.5 - 70.0	213	62.6	49.7 - 74.0	40	64.9	61.2 - 68.5	395

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have or participate in each of the following programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. A student mentoring program	70.7	65.0 - 75.8	144	65.0	60.2 - 69.6	216	68.2	55.8 - 78.4	41	67.5	64.0 - 70.8	401
b. A safe-passages to school program	21.1	16.5 - 26.4	142	19.7	16.1 - 23.9	216	23.3	16.0 - 32.7	41	20.5	17.8 - 23.6	399
c. A program to prevent bullying	70.6	65.5 - 75.2	143	90.5	87.2 - 93.1	216	90.1	79.9 - 95.4	41	82.9	80.3 - 85.3	400
d. A program to prevent dating violence	47.6	41.8 - 53.4	141	34.1	29.4 - 39.3	216	54.0	42.8 - 64.9	41	41.0	37.5 - 44.7	398
e. A youth development program	53.3	47.5 - 59.0	142	51.6	45.8 - 57.4	215	65.4	53.2 - 75.9	41	53.5	49.6 - 57.4	398

# W I S C O N S I N

## 2010 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff who teach health education topics are certified, licensed, or endorsed by the state in health education.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes	96.7	93.6 - 98.3	143	87.3	84.0 - 90.0	216	97.4	89.4 - 99.4	41	91.8	89.8 - 93.5	400
b. No	2.6	1.2 - 5.4	143	11.0	8.4 - 14.2	216	2.6	0.6 - 10.6	41	7.0	5.5 - 8.9	400
c. Not applicable	0.7	0.2 - 3.1	143	1.7	1.0 - 3.0	216	0.0	†	41	1.2	0.7 - 2.0	400

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# W I S C O N S I N

## 2010 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.9	91.2 - 97.1	143	97.8	96.3 - 98.7	219	100.0	†	41	96.9	95.4 - 97.9	403

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# W I S C O N S I N

## 2010 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	97.6	95.8 - 98.6	200	100.0	†	32	97.9	96.3 - 98.8	232
b. Seventh grade	§	§	§	97.8	96.2 - 98.7	214	100.0	†	40	98.1	96.7 - 98.9	254
c. Eighth grade	§	§	§	97.8	96.2 - 98.7	214	100.0	†	39	98.1	96.7 - 98.9	253
d. Ninth grade	91.8	87.4 - 94.7	141	88.6	82.0 - 93.0	59	97.7	90.7 - 99.5	41	91.9	88.9 - 94.1	241
e. Tenth grade	89.4	84.6 - 92.9	139	§	§	§	92.5	83.7 - 96.8	41	90.0	86.0 - 93.0	180
f. Eleventh grade	82.1	76.4 - 86.6	135	§	§	§	77.9	67.6 - 85.6	41	81.2	76.4 - 85.3	176
g. Twelfth grade	44.0	38.3 - 49.8	128	§	§	§	55.2	43.3 - 66.4	39	46.2	41.1 - 51.4	167

\*Among schools with students in that grade.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which students can be exempted from taking required physical education for one grading period or longer for any of the following reasons.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Enrollment in other courses (e.g., math or science)	14.7	10.6 - 20.0	135	4.5	3.0 - 6.8	204	31.0	20.1 - 44.5	40	10.8	8.7 - 13.4	379
b. Participation in school sports	1.1	0.4 - 3.4	136	2.2	1.1 - 4.6	205	2.3	0.5 - 9.6	40	1.8	1.0 - 3.2	381
c. Participation in other school activities (e.g., ROTC, band, or chorus)	2.7	1.3 - 5.6	136	2.7	1.5 - 5.1	204	14.3	7.6 - 25.2	40	3.8	2.6 - 5.5	380
d. Participation in community sports activities	1.5	0.6 - 3.7	136	2.2	1.1 - 4.6	205	2.4	0.6 - 9.8	39	2.0	1.2 - 3.3	380
e. Religious reasons	36.5	30.5 - 42.9	135	43.9	39.1 - 48.9	202	42.3	32.5 - 52.7	40	41.0	37.4 - 44.6	377
f. Long-term physical or medical disability	76.2	70.5 - 81.1	135	83.3	79.1 - 86.8	207	78.0	67.6 - 85.7	40	80.2	77.0 - 82.9	382
g. Cognitive disability	20.1	15.4 - 25.7	136	19.9	16.1 - 24.2	203	34.7	26.2 - 44.2	40	21.3	18.4 - 24.5	379
h. High physical fitness competency test score	0.0	†	135	0.5	0.1 - 2.3	205	2.3	0.5 - 9.6	40	0.5	0.2 - 1.4	380
i. Participation in vocational training	3.1	1.5 - 6.4	136	1.3	0.5 - 3.1	205	5.0	1.8 - 13.5	40	2.3	1.4 - 3.8	381
j. Participation in community service activities	1.2	0.4 - 3.4	136	1.6	0.7 - 3.4	204	2.4	0.6 - 9.9	39	1.5	0.8 - 2.7	379

\*Among those schools that require physical education for students in any of grades 6 through 12.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.3	88.4 - 95.0	143	92.1	89.3 - 94.3	217	97.3	89.1 - 99.4	40	92.7	90.6 - 94.3	400

**W I S C O N S I N**  
**2010 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	98.5	95.9 - 99.5	143	97.2	94.9 - 98.5	217	97.4	89.4 - 99.4	41	97.7	96.3 - 98.6	401
b. A chart describing the annual scope and sequence of instruction for physical education	82.0	77.1 - 86.1	143	88.5	85.0 - 91.2	217	85.0	73.9 - 92.0	41	85.7	83.0 - 88.0	401
c. Plans for how to assess student performance in physical education	86.8	82.1 - 90.4	143	88.9	85.1 - 91.8	215	82.4	70.7 - 90.1	41	87.5	84.7 - 89.8	399
d. A written physical education curriculum	93.8	90.1 - 96.2	143	94.3	91.4 - 96.3	216	85.9	77.9 - 91.3	41	93.4	91.3 - 94.9	400

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

---

18. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
66.2	59.9 - 72.0	143	76.7	71.9 - 80.9	217	51.5	40.9 - 61.9	39	70.5	66.9 - 73.8	399

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

19. Percentage of schools in which children or adolescents use indoor physical activity or athletic facilities for community-sponsored physical activity classes or lessons.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.7	93.6 - 98.3	143	94.7	92.4 - 96.4	216	93.2	84.5 - 97.2	40	95.3	93.7 - 96.6	399

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.2	95.7 - 99.2	143	97.8	96.3 - 98.7	217	98.6	94.0 - 99.7	41	98.0	96.9 - 98.7	401

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	94.5	91.5 - 96.5	143	96.5	94.5 - 97.8	216	98.6	94.0 - 99.7	41	95.9	94.4 - 97.0	400
b. Smokeless Tobacco	91.4	87.4 - 94.2	140	92.5	89.3 - 94.7	215	90.4	80.4 - 95.6	39	91.9	89.6 - 93.7	394
c. Cigars	91.2	87.2 - 94.0	136	90.5	87.1 - 93.0	211	90.7	81.0 - 95.7	40	90.8	88.4 - 92.7	387
d. Pipes	92.0	88.3 - 94.6	136	92.2	89.3 - 94.3	212	98.6	94.0 - 99.7	41	92.7	90.7 - 94.3	389

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	93.4	90.1 - 95.6	142	95.4	93.1 - 96.9	214	98.6	94.0 - 99.7	41	94.9	93.2 - 96.2	397
b. Smokeless Tobacco	93.6	90.2 - 95.8	138	94.0	91.5 - 95.9	212	98.5	93.9 - 99.7	40	94.3	92.5 - 95.6	390
c. Cigars	90.5	86.3 - 93.5	137	89.8	86.2 - 92.5	207	90.9	81.5 - 95.8	41	90.1	87.7 - 92.1	385
d. Pipes	90.1	85.8 - 93.1	136	90.6	87.3 - 93.2	209	90.9	81.5 - 95.8	41	90.4	88.1 - 92.4	386

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	93.0	89.6 - 95.4	143	92.5	89.4 - 94.7	216	90.8	81.3 - 95.7	40	92.5	90.4 - 94.2	399
b. Smokeless Tobacco	93.9	90.8 - 96.1	137	93.6	91.0 - 95.4	212	98.6	94.0 - 99.7	41	94.2	92.5 - 95.5	390
c. Cigars	92.4	88.8 - 95.0	138	94.3	91.8 - 96.1	212	98.6	94.0 - 99.7	41	94.0	92.2 - 95.4	391
d. Pipes	88.5	83.9 - 91.9	136	90.2	86.8 - 92.8	212	90.9	81.5 - 95.8	41	89.6	87.1 - 91.7	389

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.2	95.7 - 99.2	142	97.8	96.3 - 98.7	215	98.6	94.0 - 99.7	41	98.0	96.9 - 98.7	398
b. During non-school hours	83.2	78.7 - 86.9	140	81.0	76.8 - 84.6	210	75.9	62.9 - 85.4	39	81.4	78.5 - 84.0	389

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	91.3	87.1 - 94.2	143	92.6	89.7 - 94.7	214	93.5	85.2 - 97.3	40	92.2	90.0 - 93.9	397
b. During non-school hours	94.8	91.9 - 96.7	140	95.2	92.7 - 96.9	212	96.3	89.7 - 98.7	41	95.2	93.5 - 96.4	393

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.6	93.0 - 97.2	141	96.0	93.7 - 97.5	212	98.6	94.0 - 99.7	41	96.1	94.6 - 97.1	394
b. During non-school hours	83.1	78.8 - 86.6	139	80.8	76.6 - 84.4	210	75.9	62.9 - 85.4	39	81.2	78.3 - 83.8	388

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.2	95.7 - 99.2	142	97.2	95.3 - 98.3	216	98.6	94.0 - 99.7	41	97.7	96.5 - 98.5	399
b. Outside on school grounds, including parking lots and playing fields	97.1	94.2 - 98.5	140	92.4	89.5 - 94.5	212	93.8	85.9 - 97.4	40	94.3	92.5 - 95.7	392
c. On school buses or other vehicles used to transport students	95.1	92.3 - 96.9	138	95.5	93.0 - 97.1	213	96.2	89.6 - 98.7	40	95.4	93.8 - 96.6	391
d. At off-campus, school-sponsored events	94.7	91.9 - 96.6	137	94.8	92.2 - 96.5	214	98.6	94.0 - 99.7	41	95.1	93.5 - 96.3	392

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	97.1	94.3 - 98.5	142	97.2	95.3 - 98.3	216	98.5	93.9 - 99.7	40	97.3	95.9 - 98.2	398
b. Outside on school grounds, including parking lots and playing fields	96.6	94.6 - 97.9	139	96.5	94.3 - 97.9	211	98.6	94.0 - 99.7	41	96.7	95.4 - 97.7	391
c. On school buses or other vehicles used to transport students	91.9	88.1 - 94.6	135	84.8	80.8 - 88.1	208	88.3	78.1 - 94.1	41	87.8	85.2 - 90.0	384
d. At off-campus, school-sponsored events	94.0	90.8 - 96.1	138	94.2	91.8 - 96.0	214	93.7	85.5 - 97.4	41	94.1	92.4 - 95.4	393

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	98.2	95.7 - 99.2	141	96.1	93.9 - 97.6	215	96.3	89.7 - 98.7	41	96.9	95.5 - 97.9	397
b. Outside on school grounds, including parking lots and playing fields	95.9	93.4 - 97.4	138	95.8	93.4 - 97.3	214	98.6	94.0 - 99.7	41	96.1	94.6 - 97.2	393
c. On school buses or other vehicles used to transport students	95.5	93.0 - 97.2	139	95.8	93.4 - 97.3	214	98.6	94.0 - 99.7	41	95.9	94.5 - 97.0	394
d. At off-campus, school-sponsored events	78.5	72.6 - 83.4	136	72.7	67.8 - 77.1	209	72.3	60.8 - 81.4	40	74.9	71.4 - 78.1	385

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

23N. The percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
59.3	52.9 - 65.4	127	52.6	47.0 - 58.2	195	54.8	42.5 - 66.6	37	55.3	51.3 - 59.3	359

\*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."  
N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	100.0	†	139	95.9	93.7 - 97.4	205	100.0	†	40	97.9	96.7 - 98.6	384
b. Faculty and staff	96.9	93.8 - 98.5	137	93.0	89.8 - 95.2	202	95.3	87.3 - 98.3	39	94.7	92.8 - 96.2	378
c. Visitors	91.1	86.5 - 94.2	134	85.5	81.4 - 88.9	197	84.6	77.5 - 89.8	39	87.6	84.9 - 89.9	370

\*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.5	95.8 - 99.5	139	92.6	89.2 - 95.0	207	92.7	83.8 - 96.9	40	94.9	92.9 - 96.3	386

\*Among those schools that have adopted a policy prohibiting tobacco use.  
N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	45.6	40.2 - 51.2	139	39.1	34.6 - 43.8	207	26.5	16.4 - 39.8	40	40.5	37.1 - 43.9	386
b. Principal	34.6	30.6 - 38.9	139	47.9	43.4 - 52.4	207	61.5	50.0 - 71.9	40	44.1	41.0 - 47.1	386
c. Assistant principal	18.2	13.9 - 23.5	139	12.0	9.3 - 15.2	207	9.4	4.7 - 17.9	40	14.1	11.8 - 16.8	386
d. Other school administrator	0.0	†	139	0.5	0.1 - 2.2	207	0.0	†	40	0.3	0.1 - 1.2	386
e. Other school faculty or staff member	1.5	0.5 - 4.2	139	0.5	0.2 - 1.4	207	2.6	0.6 - 10.7	40	1.1	0.5 - 2.1	386

\*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Zero tolerance	80.6	75.1 - 85.1	140	70.2	65.6 - 74.5	207	86.1	75.4 - 92.6	40	75.7	72.4 - 78.7	387
b. Effect or severity of the violation	63.3	56.8 - 69.4	133	69.2	63.9 - 74.1	204	60.3	48.5 - 71.1	39	66.2	62.3 - 69.8	376
c. Grade level of student	27.3	21.7 - 33.8	130	46.9	41.5 - 52.4	201	34.1	24.4 - 45.3	37	38.3	34.5 - 42.2	368
d. Repeat offender status	76.5	70.7 - 81.5	133	79.2	75.1 - 82.8	208	74.9	63.0 - 83.9	38	77.8	74.6 - 80.7	379

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	0.4	0.1 - 1.5	142	0.2	0.1 - 1.0	212	0.0	†	41	0.3	0.1 - 0.7	395
b. Referred to a school counselor	9.4	6.2 - 13.9	139	2.0	1.2 - 3.4	211	2.3	0.5 - 9.3	41	4.8	3.5 - 6.7	391
c. Referred to a school administrator	1.1	0.4 - 3.3	141	0.3	0.1 - 1.1	210	0.0	†	41	0.6	0.2 - 1.4	392
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	9.6	6.4 - 14.1	141	11.7	9.2 - 14.9	209	12.4	6.4 - 22.5	41	11.0	9.0 - 13.4	391
e. Required to participate in an assistance, education, or cessation program	34.9	29.3 - 41.0	140	34.9	30.1 - 40.0	206	27.3	17.9 - 39.2	40	34.2	30.7 - 37.9	386
f. Referred to legal authorities	4.1	2.3 - 7.2	141	8.4	6.5 - 10.9	209	0.0	†	41	6.0	4.7 - 7.6	391
g. Placed in detention	25.5	20.5 - 31.3	139	26.1	21.7 - 31.0	209	32.0	22.5 - 43.3	41	26.4	23.2 - 29.9	389
h. Not allowed to participate in extra-curricular activities or interscholastic sports	3.0	1.5 - 5.8	139	6.7	4.7 - 9.4	209	0.0	†	41	4.6	3.4 - 6.3	389
i. Given in-school suspension	14.0	10.8 - 17.9	141	15.6	12.1 - 19.8	208	23.6	14.4 - 36.1	41	15.7	13.3 - 18.5	390
j. Suspended from school	10.4	7.5 - 14.3	140	8.6	6.0 - 12.0	209	7.2	3.0 - 16.0	41	9.1	7.3 - 11.5	390
k. Expelled from school	74.1	68.5 - 79.1	139	68.8	63.9 - 73.3	209	71.0	60.4 - 79.8	41	71.0	67.6 - 74.3	389
l. Reassigned to an alternative school	84.1	78.7 - 88.4	141	78.0	73.2 - 82.1	208	84.0	75.1 - 90.2	41	80.9	77.7 - 83.8	390

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	0.0	†	142	0.0	†	212	0.0	†	41	0.0	†	395
b. Referred to a school counselor	15.2	11.3 - 20.2	139	6.1	4.1 - 9.0	211	12.8	6.5 - 23.7	41	10.2	8.1 - 12.7	391
c. Referred to a school administrator	0.7	0.2 - 3.1	141	0.0	†	210	2.3	0.5 - 9.3	41	0.5	0.2 - 1.4	392
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	14.7	10.7 - 19.9	141	14.9	11.4 - 19.2	209	18.9	12.8 - 27.0	41	15.2	12.6 - 18.2	391
e. Required to participate in an assistance, education, or cessation program	29.4	24.2 - 35.1	140	22.2	18.2 - 26.8	206	25.9	16.4 - 38.4	40	25.3	22.2 - 28.7	386
f. Referred to legal authorities	5.9	4.0 - 8.5	141	10.7	7.9 - 14.4	209	6.0	2.5 - 13.7	41	8.4	6.7 - 10.6	391
g. Placed in detention	11.5	8.0 - 16.3	139	9.2	6.6 - 12.8	209	4.9	1.7 - 13.1	41	9.7	7.6 - 12.2	389
h. Not allowed to participate in extra-curricular activities or interscholastic sports	4.4	2.6 - 7.5	139	3.4	2.1 - 5.5	209	1.4	0.3 - 6.0	41	3.6	2.5 - 5.1	389
i. Given in-school suspension	16.5	12.5 - 21.5	141	12.2	9.4 - 15.7	208	7.2	3.0 - 16.0	41	13.4	11.1 - 16.0	390
j. Suspended from school	22.4	17.5 - 28.1	140	12.8	9.6 - 16.9	209	9.4	4.4 - 19.0	41	16.2	13.5 - 19.2	390
k. Expelled from school	22.1	17.5 - 27.4	139	24.0	20.1 - 28.4	209	26.7	18.5 - 36.8	41	23.5	20.6 - 26.7	389
l. Reassigned to an alternative school	15.9	11.6 - 21.3	141	16.9	13.2 - 21.4	208	12.3	7.0 - 20.7	41	16.1	13.4 - 19.2	390

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	6.6	4.1 - 10.4	142	0.0	†	212	4.6	1.6 - 12.3	41	2.9	1.9 - 4.5	395
b. Referred to a school counselor	49.8	43.1 - 56.4	139	32.8	28.3 - 37.6	211	50.8	40.2 - 61.4	41	40.9	37.3 - 44.6	391
c. Referred to a school administrator	3.3	1.7 - 6.4	141	0.0	†	210	4.9	1.7 - 13.1	41	1.7	1.0 - 3.0	392
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	53.6	47.2 - 59.8	141	44.1	38.9 - 49.5	209	51.5	41.6 - 61.3	41	48.4	44.7 - 52.3	391
e. Required to participate in an assistance, education, or cessation program	31.3	25.7 - 37.4	140	28.9	24.4 - 33.8	206	39.1	29.6 - 49.6	40	30.7	27.4 - 34.3	386
f. Referred to legal authorities	28.8	23.9 - 34.4	141	32.5	27.8 - 37.6	209	32.9	23.2 - 44.4	41	31.1	27.8 - 34.6	391
g. Placed in detention	37.4	32.5 - 42.7	139	38.0	33.6 - 42.7	209	55.2	43.6 - 66.2	41	39.4	36.2 - 42.7	389
h. Not allowed to participate in extra-curricular activities or interscholastic sports	12.7	9.0 - 17.7	139	28.6	24.2 - 33.5	209	8.1	5.0 - 12.7	41	20.6	17.8 - 23.7	389
i. Given in-school suspension	48.8	42.8 - 54.7	141	46.9	42.4 - 51.5	208	49.3	37.4 - 61.2	41	47.9	44.4 - 51.4	390
j. Suspended from school	41.0	35.9 - 46.3	140	46.0	40.5 - 51.5	209	50.1	38.0 - 62.2	41	44.4	40.8 - 48.2	390
k. Expelled from school	3.0	1.5 - 6.2	139	5.6	3.9 - 7.9	209	2.3	0.5 - 9.3	41	4.3	3.1 - 5.9	389
l. Reassigned to an alternative school	0.0	†	141	3.5	2.1 - 5.7	208	3.7	1.3 - 10.3	41	2.2	1.4 - 3.4	390

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Parents or guardians are notified	93.1	89.2 - 95.6	142	99.8	99.0 - 99.9	212	95.4	87.7 - 98.4	41	96.8	95.2 - 97.9	395
b. Referred to a school counselor	25.6	20.5 - 31.5	139	59.1	54.5 - 63.6	211	34.0	23.7 - 46.2	41	44.1	40.7 - 47.5	391
c. Referred to a school administrator	94.8	91.3 - 97.0	141	99.7	98.9 - 99.9	210	92.8	84.0 - 97.0	41	97.2	95.7 - 98.2	392
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	22.2	17.0 - 28.3	141	29.2	24.7 - 34.1	209	17.2	10.5 - 26.9	41	25.4	22.2 - 28.9	391
e. Required to participate in an assistance, education, or cessation program	4.5	2.8 - 7.2	140	14.0	10.7 - 18.0	206	7.7	3.2 - 17.1	40	9.7	7.8 - 12.1	386
f. Referred to legal authorities	61.2	55.7 - 66.5	141	48.4	43.6 - 53.2	209	61.1	50.2 - 71.0	41	54.5	51.1 - 57.9	391
g. Placed in detention	25.5	20.4 - 31.5	139	26.7	22.3 - 31.6	209	8.0	3.3 - 17.8	41	24.5	21.3 - 28.0	389
h. Not allowed to participate in extra-curricular activities or interscholastic sports	79.9	74.3 - 84.6	139	61.3	56.3 - 66.0	209	90.5	85.9 - 93.7	41	71.1	67.8 - 74.3	389
i. Given in-school suspension	20.7	16.2 - 26.2	141	25.3	21.2 - 29.9	208	20.0	11.6 - 32.3	41	23.0	20.1 - 26.3	390
j. Suspended from school	26.2	21.3 - 31.8	140	32.7	27.9 - 37.9	209	33.3	23.6 - 44.7	41	30.3	26.9 - 33.8	390
k. Expelled from school	0.8	0.2 - 3.2	139	1.7	0.8 - 3.6	209	0.0	†	41	1.2	0.6 - 2.3	389
l. Reassigned to an alternative school	0.0	†	141	1.7	0.8 - 3.6	208	0.0	†	41	0.9	0.4 - 1.9	390

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

---

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.6	79.8 - 88.4	141	81.6	77.4 - 85.2	209	77.6	64.7 - 86.7	40	82.4	79.4 - 85.0	390

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

30. Percentage of schools that did the following activities during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts	51.5	45.4 - 57.5	142	55.7	50.7 - 60.5	213	49.0	38.8 - 59.3	41	53.5	49.8 - 57.0	396
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use	52.3	45.8 - 58.6	142	54.0	48.6 - 59.4	212	56.3	46.7 - 65.5	41	53.6	49.7 - 57.4	395

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

31. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	22.6	17.7 - 28.5	141	16.2	12.6 - 20.5	212	12.8	6.5 - 23.8	41	18.3	15.5 - 21.6	394
b. Students	33.1	27.3 - 39.6	142	22.1	18.4 - 26.3	212	18.9	11.7 - 29.2	41	26.0	22.9 - 29.4	395

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

32. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	40.1	34.2 - 46.3	142	33.2	28.4 - 38.3	212	26.9	17.9 - 38.2	41	35.3	31.7 - 39.0	395
b. Students	37.9	32.0 - 44.1	142	28.2	23.8 - 33.0	212	17.7	9.9 - 29.7	41	31.0	27.6 - 34.6	395

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	1.5	0.5 - 4.1	140	3.7	2.2 - 6.3	213	8.0	3.4 - 17.8	40	3.3	2.1 - 4.9	393
b. Never	0.0	†	140	1.4	0.6 - 3.3	213	0.0	†	40	0.7	0.3 - 1.8	393
c. Rarely	8.6	5.6 - 13.0	140	8.2	5.6 - 11.7	213	11.6	6.8 - 18.9	40	8.6	6.7 - 11.1	393
d. Sometimes	60.4	53.7 - 66.8	140	66.1	60.9 - 71.0	213	50.5	39.8 - 61.2	40	62.6	58.7 - 66.3	393
e. Always or almost always	29.5	23.5 - 36.2	140	20.6	16.4 - 25.5	213	29.9	19.9 - 42.2	40	24.8	21.4 - 28.5	393

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
88.5	83.7 - 92.1	141	60.6	56.1 - 65.0	214	78.8	70.4 - 85.3	40	72.9	69.8 - 75.7	395

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	36.3	31.0 - 42.0	141	13.2	9.9 - 17.4	214	20.5	12.0 - 32.9	40	22.7	19.8 - 25.9	395
b. Other kinds of candy	41.5	35.4 - 47.9	141	18.9	14.9 - 23.6	213	23.2	13.9 - 36.0	40	27.9	24.6 - 31.5	394
c. Salty snacks that are not low in fat (e.g., regular potato chips)	44.4	38.1 - 50.8	139	21.6	17.8 - 25.8	213	38.3	27.7 - 50.1	39	31.7	28.4 - 35.2	391
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	53.8	47.4 - 60.0	140	23.5	19.4 - 28.1	212	32.1	23.2 - 42.6	39	35.8	32.5 - 39.4	391
e. Ice cream or frozen yogurt that is not low in fat	25.0	19.9 - 30.8	140	13.2	9.8 - 17.6	214	16.8	9.3 - 28.5	39	18.0	15.2 - 21.3	393
f. 2% or whole milk (plain or flavored)	55.4	49.2 - 61.4	140	35.5	30.5 - 40.8	214	48.8	37.0 - 60.7	40	44.2	40.5 - 48.0	394
g. Water ices or frozen slushes that do not contain juice	19.6	15.6 - 24.3	140	8.9	6.2 - 12.6	214	18.9	11.4 - 29.8	38	13.8	11.5 - 16.5	392
h. Soda pop or fruit drinks that are not 100% juice	45.8	40.1 - 51.7	140	14.0	10.7 - 18.1	213	35.2	25.6 - 46.1	40	28.0	25.0 - 31.2	393
i. Sports drinks (e.g., Gatorade)	78.2	72.4 - 83.1	139	43.4	38.8 - 48.2	214	63.3	53.5 - 72.1	40	58.4	55.0 - 61.7	393
j. Foods or beverages containing caffeine	50.3	44.9 - 55.8	140	16.1	12.5 - 20.5	213	36.7	25.5 - 49.5	40	31.0	27.9 - 34.2	393
k. Fruits (not fruit juice)	42.8	37.3 - 48.6	141	22.6	18.1 - 27.8	212	31.1	22.2 - 41.7	40	31.1	27.8 - 34.7	393
l. Non-fried vegetables (not vegetable juice)	32.2	26.7 - 38.3	139	14.6	11.1 - 18.8	212	14.8	7.8 - 26.1	40	21.3	18.4 - 24.6	391

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

36. Percentage of schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
54.8	48.5 - 61.0	141	37.6	32.8 - 42.7	213	52.3	41.3 - 63.0	40	45.5	41.8 - 49.2	394

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have done any of the following activities during this school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	17.0	13.2 - 21.6	141	14.3	11.0 - 18.5	214	12.4	7.2 - 20.5	41	15.2	12.7 - 17.9	396
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	56.5	50.9 - 61.9	141	55.4	50.3 - 60.4	214	71.9	61.4 - 80.4	41	57.3	53.8 - 60.8	396
c. Provided information to students or families on the nutrition and caloric content of foods available	58.4	52.3 - 64.2	141	60.4	54.8 - 65.8	214	52.7	41.6 - 63.5	41	58.9	55.0 - 62.7	396
d. Conducted taste tests to determine food preferences for nutritious items	31.1	26.0 - 36.6	141	19.8	15.8 - 24.5	214	29.0	19.5 - 40.8	41	24.9	21.9 - 28.3	396
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	30.7	24.7 - 37.4	141	18.7	15.1 - 22.8	214	20.2	13.6 - 28.9	41	23.4	20.3 - 26.8	396

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

38. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
3.7	1.9 - 7.0	141	4.9	3.0 - 7.8	213	2.6	0.6 - 10.6	41	4.2	2.9 - 6.1	395

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	52.9	46.6 - 59.1	141	67.2	62.2 - 71.8	214	50.4	38.1 - 62.6	41	60.2	56.5 - 63.8	396
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	47.7	41.7 - 53.7	140	59.8	54.7 - 64.7	214	50.7	37.5 - 63.8	41	54.4	50.6 - 58.1	395
c. On school buses or other vehicles used to transport students	61.9	55.5 - 67.9	141	64.2	59.4 - 68.8	214	68.8	57.1 - 78.6	41	63.8	60.1 - 67.2	396
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	51.9	45.6 - 58.1	141	68.5	64.1 - 72.6	214	60.1	49.9 - 69.5	41	61.4	57.9 - 64.7	396

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

---

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
24.7	19.9 - 30.2	141	21.4	17.6 - 25.8	213	19.9	12.1 - 30.8	41	22.5	19.7 - 25.7	395

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school has no students with known asthma.	0.8	0.2 - 3.2	139	0.0	†	212	0.0	†	41	0.3	0.1 - 1.2	392
b. All students with known asthma have an asthma action plan on file.	48.9	43.1 - 54.8	139	56.5	51.7 - 61.2	212	52.2	41.0 - 63.2	41	53.2	49.7 - 56.7	392
c. Most students with known asthma have an asthma action plan on file.	22.9	18.5 - 27.9	139	27.0	22.8 - 31.8	212	20.1	12.3 - 31.3	41	24.8	21.8 - 28.0	392
d. Some students with known asthma have an asthma action plan on file.	21.8	17.4 - 26.9	139	13.2	10.1 - 17.1	212	18.2	10.6 - 29.3	41	16.9	14.4 - 19.8	392
e. No students with known asthma have an asthma action plan on file.	5.7	3.6 - 8.8	139	3.2	1.8 - 5.8	212	9.4	4.5 - 18.9	41	4.7	3.4 - 6.5	392

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not identify students with poorly controlled asthma.	19.2	15.0 - 24.2	146	19.7	15.8 - 24.4	217	23.5	15.1 - 34.5	42	19.9	17.0 - 23.0	405
b. Frequent absences from school	28.5	23.4 - 34.2	146	41.6	36.3 - 47.1	220	33.8	23.4 - 46.0	42	35.9	32.3 - 39.7	408
c. Frequent visits to the school health office due to asthma	57.3	51.7 - 62.7	147	60.9	56.0 - 65.6	218	41.7	30.9 - 53.4	42	57.8	54.3 - 61.2	407
d. Frequent asthma symptoms at school	53.5	47.9 - 59.0	146	58.9	53.8 - 63.7	218	63.9	52.3 - 74.1	42	57.3	53.7 - 60.8	406
e. Frequent non-participation in physical education class due to asthma	36.2	30.8 - 42.0	146	45.8	40.8 - 51.0	219	32.2	21.5 - 45.0	42	40.9	37.3 - 44.6	407
f. Students sent home early due to asthma	34.1	28.8 - 39.8	147	41.4	36.6 - 46.4	219	22.3	13.3 - 35.0	42	36.9	33.4 - 40.4	408
g. Calls from school to 911, or other local emergency numbers, due to asthma	21.5	17.4 - 26.2	147	22.0	17.9 - 26.8	220	15.4	9.2 - 24.4	42	21.2	18.4 - 24.3	409

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Providing referrals to primary healthcare clinicians or child health insurance programs	67.0	60.9 - 72.6	137	54.8	49.2 - 60.2	209	52.8	42.4 - 63.0	41	59.3	55.4 - 63.0	387
b. Ensuring an appropriate written asthma action plan is obtained	74.1	68.8 - 78.7	137	83.6	79.6 - 86.9	210	74.5	62.9 - 83.4	41	79.1	76.1 - 81.9	388
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	89.0	85.0 - 92.0	138	89.4	85.7 - 92.3	209	73.1	62.7 - 81.4	40	87.8	85.2 - 89.9	387
d. Offering asthma education for students with asthma	55.9	49.7 - 61.9	137	54.3	48.9 - 59.7	209	54.5	43.1 - 65.4	41	54.9	51.1 - 58.7	387
e. Minimizing asthma triggers in the school environment	75.0	69.5 - 79.8	137	78.7	74.3 - 82.5	210	71.1	59.8 - 80.2	40	76.6	73.4 - 79.5	387
f. Addressing social and emotional issues related to asthma	58.2	51.7 - 64.4	137	56.6	51.4 - 61.6	207	39.1	27.3 - 52.2	41	55.5	51.7 - 59.3	385
g. Providing additional psychosocial counseling or support services as needed	54.8	49.0 - 60.5	137	48.2	42.7 - 53.7	207	38.2	27.4 - 50.4	41	49.8	46.0 - 53.6	385
h. Ensuring access to safe, enjoyable physical education and activity opportunities	91.6	87.6 - 94.4	137	96.3	93.9 - 97.8	208	82.0	72.4 - 88.7	41	93.1	91.1 - 94.7	386
i. Ensuring access to preventive medications before physical activity	88.1	83.0 - 91.8	136	93.7	90.6 - 95.8	208	82.0	72.4 - 88.7	41	90.5	88.0 - 92.5	385

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. More than once per year	1.5	0.5 - 4.1	141	2.6	1.5 - 4.4	212	0.0	†	41	1.9	1.2 - 3.1	394
b. Once per year	21.4	17.1 - 26.6	141	24.4	20.2 - 29.2	212	32.1	23.2 - 42.5	41	24.0	21.0 - 27.2	394
c. Less than once per year	13.0	9.4 - 17.8	141	16.5	12.9 - 20.8	212	12.5	6.4 - 23.1	41	14.8	12.3 - 17.7	394
d. No such requirement	64.1	57.9 - 69.8	141	56.5	51.2 - 61.8	212	55.4	43.7 - 66.5	41	59.3	55.5 - 63.0	394

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**W I S C O N S I N**

**2010 School Health Profiles Report  
Weighted Principal Survey Results**

---

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
76.6	70.6 - 81.7	141	72.6	67.8 - 76.9	212	65.9	52.1 - 77.4	41	73.5	70.0 - 76.8	394

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Students	85.3	80.3 - 89.2	106	92.1	87.9 - 94.9	145	92.1	79.7 - 97.2	26	89.4	86.5 - 91.7	277
b. Parents and families	84.3	78.5 - 88.7	105	91.7	87.5 - 94.6	145	92.1	79.7 - 97.2	26	88.8	85.7 - 91.3	276

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.  
N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. No single individual is responsible	18.6	13.5 - 25.1	107	19.7	15.1 - 25.4	145	25.8	14.5 - 41.5	26	19.8	16.3 - 23.7	278
b. Principal	10.7	7.4 - 15.1	107	19.5	15.0 - 25.0	145	18.8	9.8 - 32.9	26	15.9	13.0 - 19.4	278
c. Assistant principal	0.5	0.1 - 1.9	107	0.9	0.2 - 3.6	145	0.0	†	26	0.6	0.2 - 1.9	278
d. School nurse	62.4	54.9 - 69.4	107	47.2	41.1 - 53.5	145	47.6	33.4 - 62.2	26	53.3	48.8 - 57.8	278
e. Other school faculty or staff member	7.8	4.7 - 12.9	107	12.7	8.9 - 17.8	145	7.9	2.7 - 21.0	26	10.3	7.8 - 13.6	278

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	17.9	13.2 - 23.7	140	13.1	10.2 - 16.8	212	8.7	4.0 - 17.8	41	14.5	12.0 - 17.5	393
b. Tobacco-use prevention	23.1	17.8 - 29.6	140	15.6	12.0 - 20.0	211	22.3	13.8 - 34.0	41	19.1	16.1 - 22.5	392
c. Physical activity	34.4	28.7 - 40.6	140	28.2	24.2 - 32.7	211	29.1	18.7 - 42.2	41	30.6	27.4 - 34.1	392
d. Nutrition and healthy eating	51.2	44.9 - 57.6	140	43.9	39.2 - 48.8	212	51.8	40.5 - 62.9	41	47.4	43.8 - 51.1	393
e. Asthma	11.2	8.0 - 15.6	140	11.5	8.7 - 15.0	210	7.3	3.1 - 16.3	38	11.0	9.0 - 13.5	388

## W I S C O N S I N

### 2010 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV, STD, or teen pregnancy prevention	22.5	17.4 - 28.7	141	19.9	16.1 - 24.2	210	15.8	8.8 - 26.7	41	20.5	17.5 - 23.8	392
b. Tobacco-use prevention	29.3	23.7 - 35.5	139	24.5	20.2 - 29.4	209	23.8	15.1 - 35.3	41	26.3	23.0 - 29.9	389
c. Physical activity	34.7	29.2 - 40.6	138	30.4	26.1 - 35.0	209	34.3	24.2 - 46.1	41	32.4	29.1 - 35.8	388
d. Nutrition and healthy eating	55.6	49.5 - 61.5	141	46.8	42.0 - 51.7	209	50.9	39.2 - 62.5	41	50.6	47.0 - 54.2	391
e. Asthma	12.2	8.7 - 17.0	140	13.4	10.5 - 16.9	209	14.1	7.4 - 25.0	39	13.0	10.8 - 15.6	388